


TACHO co400

Transpread Tachometer can be adjusted to run from a single impulse per revolution to 12 impulses per revolution. Use 3.6v batteries.



Battery powered above.

Lighter powered to the right

With sensor connected and while a number is showing place clip across the 2 pins and press the red button to select number of impulse required. Tacho can be battery or lighter powered.

Tacho Sensor co310







Connect Blue to 3 & Brown to 4



Parts related to fitting options over page

'TRANSPREAD' when only the best will do

TACHO co400

Part #	Description	
Co406 mag012	Tacho Sensor for battery powered unit 8mm magnet	
600010 ca001	Battery 3.6v Car Lighter cable	
ca033a ca033b ca033c Ca033d ca033e	Cable 3 mt Cable 4 mt Cable 5 mt Cable 6 mt Cable 7 mt	
600010	3.6v Battery	
ca444	M12 Through Pannel	 <p data-bbox="810 1675 1002 1720">ca444 4 pole</p>
lael14	Tacho Mount, Stainless	

'TRANSPREAD' when only the best will do

Tachometer and Manual Drives



Standard battery operated tachometer with large readout. Suitable for mounting on the front of spreader bins to read out spinner speed.

Takes standard 3.6 volt battery and can be fitted in the field. Comes with mounting plate and sensor.



Lighter powered Tachometer that is often fitted in the cab of a tractor. Comes with lighter plug and cord for easy connection.



Single or Dual Manual Drives can operate spinner and conveyor at set speeds. Ideal for spreading sand or compost. Can also be used for remote operation of Headland Valves so that the operator does not need to get off the tractor to set.

All Transpread Tachometers have sealed water proof 12 mm plugs for reliable operation, no need to attach wires inside tachometer.