

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		Low		RATE CHART KG. PER HA.													gb007 730	
Weight per litre				0.70		Figures in body of chart = mm of door opening												
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36			
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
20	-	-	-	-	-	-	27	29	32	35	37	40	43	45	48			
30	-	-	-	28	32	36	40	44	48	52	56	60	64	68	72			
40	-	27	32	37	43	48	53	58	64	69	74	80	85	90	96			
50	27	33	40	47	53	60	66	73	80	86	93	100	106	113	120			
60	32	40	48	56	64	72	80	88	96	104	112	120	128	136	144			
70	37	47	56	65	74	84	93	102	112	121	130	140	149	158	167			
80	43	53	64	74	85	96	106	117	128	138	149	160	170	181	191			
90	48	60	72	84	96	108	120	132	144	156	167	179	191	203	215			
100	53	66	80	93	106	120	133	146	160	173	186	199	213	226	239			
110	58	73	88	102	117	132	146	161	175	190	205	219	234	249	263			
120	64	80	96	112	128	144	160	175	191	207	223	239	255	271	287			
130	69	86	104	121	138	156	173	190	207	225	242	259	276	294				
140	74	93	112	130	149	167	186	205	223	242	261	279	298					
150	80	100	120	140	160	179	199	219	239	259	279	299						
160	85	106	128	149	170	191	213	234	255	276	298							
170	90	113	136	158	181	203	226	249	271	294								
180	96	120	144	167	191	215	239	263	287									
190	101	126	152	177	202	227	253	278	303									
200	106	133	160	186	213	239	266	292										
210	112	140	167	195	223	251	279	307										
220	117	146	175	205	234	263	292											
230	122	153	183	214	245	275	306											
240	128	160	191	223	255	287												
250	133	166	199	233	266	299												
260	138	173	207	242	276													
270	144	179	215	251	287													
280	149	186	223	261	298													
290	154	193	231	270	308													
300	160	199	239	279														
320	170	213	255	298														
340	181	226	271															
360	191	239	287															
380	202	253	303															
400	213	266																
425	226	282																
450	239	299																
475	253																	
500	266																	
525	279																	
550	292																	
575	306																	
600																		

Gear Box		Low		RATE CHART KG. PER HA.													gb007 730	
Weight per litre				0.75		Figures in body of chart = mm of door opening												
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36			
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
20	-	-	-	-	-	-	27	30	32	35	37	40	42	45	48			
30	-	-	-	26	30	33	37	41	45	48	52	56	60	63	67			
40	-	30	35	40	45	50	55	60	65	69	74	79	84	89	96			
50	31	37	43	50	56	62	68	74	81	87	93	99	105	112	120			
60	30	37	45	52	60	67	74	82	89	97	104	112	119	127	134			
70	35	43	52	61	69	78	87	96	104	113	122	130	139	148	156			
80	40	50	60	69	79	89	99	109	119	129	139	149	159	169	179			
90	45	56	67	78	89	100	112	123	134	145	156	167	179	190	201			
100	50	62	74	87	99	112	124	136	149	161	174	186	198	211	223			
110	55	68	82	96	109	123	136	150	164	177	191	205	218	232	246			
120	60	74	89	104	119	134	149	164	179	194	208	223	238	253	268			
130	65	81	97	113	129	145	161	177	194	210	226	242	258	274	290			
140	69	87	104	122	139	156	174	191	208	226	243	261	278	295				
150	74	93	112	130	149	167	186	205	223	242	261	279	298					
160	79	99	119	139	159	179	198	218	238	258	278	298						
170	84	105	127	148	169	190	211	232	253	274	295							
180	89	112	134	156	179	201	223	246	268	290								
190	94	118	141	165	189	212	236	259	283	306								
200	99	124	149	174	198	223	248	273	298									
210	104	130	156	182	208	234	261	287										
220	109	136	164	191	218	246	273	300										
230	114	143	171	200	228	257	285											
240	119	149	179	208	238	268	298											
250	124	155	186	217	248	279												
260	129	161	194	226	258	290												
270	134	167	201	234	268	301												
280	139	174	208	243	278													
290	144	180	216	252	288													
300	149	186	223	261	298													
320	159	198	238	278														
340	169	211	253	295														
360	179	223	268															
380	189	236	283															
400	198	248	298															
425	211	264																
450	223	279																
475	236	295																
500	248																	
525	261																	
550	273																	
575	285																	
600	298																	

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		Low		RATE CHART KG. PER HA.												gb007 730	
Weight per litre		0.80		Figures in body of chart = mm of door opening													
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36		
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20								26	28	30	33	35	37	40	42		
30					28	31	35	38	42	45	49	52	56	59	63		
40			28	33	37	42	47	51	56	60	65	70	74	79	84		
50		29	35	41	47	52	58	64	70	76	81	87	93	99	105		
60	28	35	42	49	56	63	70	77	84	91	98	105	112	119	126		
70	33	41	49	57	65	73	81	90	98	106	114	122	130	138	147		
80	37	47	56	65	74	84	93	102	112	121	130	140	149	158	167		
90	42	52	63	73	84	94	105	115	126	136	147	157	167	178	188		
100	47	58	70	81	93	105	116	128	140	151	163	174	186	198	209		
110	51	64	77	90	102	115	128	141	154	166	179	192	205	217	230		
120	56	70	84	98	112	126	140	154	167	181	195	209	223	237	251		
130	60	76	91	106	121	136	151	166	181	197	212	227	242	257	272		
140	65	81	98	114	130	147	163	179	195	212	228	244	261	277	293		
150	70	87	105	122	140	157	174	192	209	227	244	262	279	297			
160	74	93	112	130	149	167	186	205	223	242	261	279	298				
170	79	99	119	138	158	178	198	217	237	257	277	297					
180	84	105	126	147	167	188	209	230	251	272	293						
190	88	110	133	155	177	199	221	243	265	287	309						
200	93	116	140	163	186	209	233	256	279	302							
210	98	122	147	171	195	220	244	269	293								
220	102	128	154	179	205	230	256	281	307								
230	107	134	161	187	214	241	268	294									
240	112	140	167	195	223	251	279	307									
250	116	145	174	204	233	262	291										
260	121	151	181	212	242	272	302										
270	126	157	188	220	251	283											
280	130	163	195	228	261	293											
290	135	169	202	236	270	304											
300	140	174	209	244	279												
320	149	186	223	261	298												
340	158	198	237	277													
360	167	209	251	293													
380	177	221	265	309													
400	186	233	279														
425	198	247	297														
450	209	262															
475	221	276															
500	233	291															
525	244	305															
550	256																
575	268																
600	279																

Gear Box		Low		RATE CHART KG. PER HA.												gb007 730						
Weight per litre		0.85		Figures in body of chart = mm of door opening																		
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36							
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
20																26	28	31	33	35	37	39
30										26	30	33	36	39	43	46	49	53	56	59	63	66
40									26	31	35	39	44	48	53	57	61	66	70	74	79	84
50						27	33	38	44	49	55	60	66	71	77	82	88	93	99	105	112	118
60	26		33	39	46	53	59	66	72	79	85	92	99	105	112	119	126	133	140	147	154	161
70	31		38	46	54	61	69	77	84	92	100	107	115	123	130	138	146	154	162	170	178	186
80	35		44	53	61	70	79	88	96	105	114	123	131	140	149	158	167	176	185	194	203	212
90	39		49	59	69	79	89	99	108	118	128	138	148	158	168	178	188	198	208	218	228	238
100	44		55	66	77	88	99	109	120	131	142	153	164	175	186	197	208	219	230	241	252	263
110	48		60	72	84	96	108	120	132	144	157	169	181	193	205	217	229	241	253	265	277	289
120	53		66	79	92	105	118	131	144	158	171	184	197	210	223	236	249	262	275	288	301	314
130	57		71	85	100	114	128	142	157	171	185	199	213	228	242	256	270	284	298	312	326	340
140	61		77	92	107	123	138	153	169	184	199	215	230	245	261	276	291	306	321	336	351	366
150	66		82	99	115	131	148	164	181	197	213	230	246	263	279	295	311	327	343	359	375	391
160	70		88	105	123	140	158	175	193	210	228	245	263	280	298	315	332	349	366	383	400	417
170	74		93	112	130	149	167	186	205	223	242	261	279	298	316	335	354	373	392	411	430	449
180	79		99	118	138	158	177	197	217	236	256	276	296	316	336	356	376	396	416	436	456	476
190	83		104	125	146	166	187	208	229	250	270	291	311	331	351	371	391	411	431	451	471	491
200	88		109	131	153	175	197	219	241	263	285	307	329	351	373	395	417	439	461	483	505	527
210	92		115	138	161	184	207	230	253	276	299	321	343	365	387	409	431	453	475	497	519	541
220	96		120	144	169	193	217	241	265	289	313	337	361	385	409	433	457	481	505	529	553	577
230	101		126	151	176	201	227	252	277	302	326	351	375	399	423	447	471	495	519	543	567	591
240	105		131	158	184	210	236	263	289	315	341	367	393	419	445	471	497	523	549	575	601	627
250	109		137	164	192	219	246	274	301	328	355	382	409	436	463	490	517	544	571	598	625	652
260	114		142	171	199	228	256	285	313	341	369	397	425	453	481	509	537	565	593	621	649	677
270	118		148	177	207	236	266	296	324	352	380	408	436	464	492	520	548	576	604	632	660	688
280	123		153	184	215	245	276	307	335	363	391	419	447	475	503	531	559	587	615	643	671	699
290	127		159	190	222	254	286	317	345	373	401	429	457	485	513	541	569	597	625	653	681	709
300	131		164	197	230	263	296	327	355	383	411	439	467	495	523	551	579	607	635	663	691	719
320	140		175	210	245	280	314	347	380	413	446	479	512	545	578	611	644	677	710	743	776	809
340	149		186	223	261	298	335	371	407	443	479	515	551	587	623	659	695	731	767	803	839	875
360	158		197	236	276	317	357	396	436	475	514	553	592	631	670	709	748	787	826	865	904	943
380	166		208	250	291	334	377	419	461	503	545	587	629	671	713	755	797	839	881	923	965	1007
400	175		219	263	307	352	397	441	485	529	573	617	661	705	749	793	837	881	925	969	1013	1057
425	186		233	279	326	374	422	469	517	564	611	658	705	752	799	846	893	940	987	1034	1081	1128
450	197		246	296	346	396	446	495	545	594	643	692	741	790	839	888	937	986	1035	1084	1133	1182
475	208		260	312	364	417	471	524	577	630	683	736	789	842	895	948	1001	1054	1107	1160	1213	1266
500	219		274	328	383	438	494	550	606	662	717	772	827									

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		Low		RATE CHART KG. PER HA.												gb007 730	
Weight per litre		0.90		Figures in body of chart = mm of door opening													
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36		
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20										27	29	31	33	35	37		
30						28	31	34	37	40	43	47	50	53	56		
40				29	33	37	41	45	50	54	58	62	66	70	74		
50		26	31	36	41	47	52	57	62	67	72	78	83	88	93		
60		31	37	43	50	56	62	68	74	81	87	93	99	105	112		
70	29	36	43	51	58	65	72	80	87	94	101	109	116	123	130		
80	33	41	50	58	66	74	83	91	99	108	116	124	132	141	149		
90	37	47	56	65	74	84	93	102	112	121	130	140	149	158	167		
100	41	52	62	72	83	93	103	114	124	134	145	155	165	176	186		
110	45	57	68	80	91	102	114	125	136	148	159	171	182	193	205		
120	50	62	74	87	99	112	124	136	149	161	174	186	198	211	223		
130	54	67	81	94	108	121	134	148	161	175	188	202	215	228	242		
140	58	72	87	101	116	130	145	159	174	188	203	217	232	246	261		
150	62	78	93	109	124	140	155	171	186	202	217	233	248	264	279		
160	66	83	99	116	132	149	165	182	198	215	232	248	265	281	298		
170	70	88	105	123	141	158	176	193	211	228	246	264	281	299			
180	74	93	112	130	149	167	186	205	223	242	261	279	298				
190	79	98	118	138	157	177	196	216	236	255	275	295					
200	83	103	124	145	165	186	207	227	248	269	289						
210	87	109	130	152	174	195	217	239	261	282	304						
220	91	114	136	159	182	205	227	250	273	296							
230	95	119	143	166	190	214	238	262	285	309							
240	99	124	149	174	198	223	248	273	298								
250	103	129	155	181	207	233	258	284									
260	108	134	161	188	215	242	269	296									
270	112	140	167	195	223	251	279	307									
280	116	145	174	203	232	261	289										
290	120	150	180	210	240	270	300										
300	124	155	186	217	248	279											
320	132	165	198	232	265	298											
340	141	176	211	246	281												
360	149	186	223	261	298												
380	157	196	236	275													
400	165	207	248	289													
425	176	220	264	308													
450	186	233	279														
475	196	246	295														
500	207	258															
525	217	271															
550	227	284															
575	238	297															
600	248																

Gear Box		Low		RATE CHART KG. PER HA.												gb007 730	
Weight per litre		0.95		Figures in body of chart = mm of door opening													
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36		
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20																25	27
30																29	31
40																33	35
50																37	39
60																41	43
70																45	47
80																49	51
90																53	55
100																57	59
110																61	63
120																65	67
130																69	71
140																73	75
150																77	79
160																81	83
170																85	87
180																89	91
190																93	95
200																97	99
210																101	103
220																105	107
230																109	111
240																113	115
250																117	119
260																121	123
270																125	127
280																129	131
290																133	135
300																137	139
320																141	143
340																145	147
360																149	151
380																153	155
400																157	159
425																161	163
450																165	167
475																169	171
500																173	175
525																177	179
550																181	183
575																185	187
600																189	191

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		RATE CHART KG. PER HA.													gb007 730		
Weight per litre		Figures in body of chart = mm of door opening															
1.10																	
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36		
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20												25	27	29	30		
30							25	28	30	33	36	38	41	43	46		
40				27	30	34	37	41	44	47	51	54	58	61			
50			25	30	34	38	42	47	51	55	59	63	68	72	76		
60		25	30	36	41	46	51	56	61	66	71	76	81	86	91		
70		30	36	41	47	53	59	65	71	77	83	89	95	101	107		
80	27	34	41	47	54	61	68	74	81	88	95	102	108	115	122		
90	30	38	46	53	61	69	76	84	91	99	107	114	122	129	137		
100	34	42	51	59	68	76	85	93	102	110	118	127	135	144	152		
110	37	47	56	65	74	84	93	102	112	121	130	140	149	158	167		
120	41	51	61	71	81	91	102	112	122	132	142	152	162	173	183		
130	44	55	66	77	88	99	110	121	132	143	154	165	176	187	198		
140	47	59	71	83	95	107	118	130	142	154	166	178	189	201	213		
150	51	63	76	89	102	114	127	140	152	165	178	190	203	216	228		
160	54	68	81	95	108	122	135	149	162	176	189	203	217	230	244		
170	58	72	86	101	115	129	144	158	173	187	201	216	230	244	259		
180	61	76	91	107	122	137	152	167	183	198	213	228	244	259	274		
190	64	80	96	113	129	145	161	177	193	209	225	241	257	273	289		
200	68	85	102	118	135	152	169	186	203	220	237	254	271	288	305		
210	71	89	107	124	142	160	178	195	213	231	249	266	284	302			
220	74	93	112	130	149	167	186	205	223	242	261	279	298				
230	78	97	117	136	156	175	195	214	233	253	272	292					
240	81	102	122	142	162	183	203	223	244	264	284	305					
250	85	106	127	148	169	190	211	233	254	275	296						
260	88	110	132	154	176	198	220	242	264	286	308						
270	91	114	137	160	183	206	228	251	274	297							
280	95	118	142	166	189	213	237	261	284	308							
290	98	123	147	172	196	221	245	270	294								
300	102	127	152	178	203	228	254	279	305								
320	108	135	162	189	217	244	271	298									
340	115	144	173	201	230	259	288										
360	122	152	183	213	244	274	305										
380	129	161	193	225	257	289											
400	135	169	203	237	271	305											
425	144	180	216	252	288												
450	152	190	228	266	305												
475	161	201	241	281													
500	169	211	254	296													
525	178	222	266														
550	186	233	279														
575	195	243	292														
600	203	254	305														

Gear Box		RATE CHART KG. PER HA.													gb007 730		
Weight per litre		Figures in body of chart = mm of door opening															
1.15																	
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36		
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20																26	28
30															27	29	32
40										26	29	32	36	39	42	45	49
50										28	32	36	40	45	49	53	57
60										29	34	39	44	49	53	58	63
70										34	40	45	51	57	62	68	74
80	26	32	39	45	52	58	65	71	78	84	91	97	104	110	117	124	131
90	29	36	44	51	58	66	73	80	87	95	102	109	117	124	131	138	145
100	32	40	49	57	65	73	81	89	97	105	113	121	129	138	146	154	162
110	36	45	53	62	71	80	89	98	107	116	125	134	142	151	160	169	178
120	39	49	58	68	78	87	97	107	117	126	136	146	155	165	175	185	195
130	42	53	63	74	84	95	105	116	126	137	147	158	168	179	189	199	209
140	45	57	68	79	91	102	113	125	136	147	159	170	181	193	204	215	226
150	49	61	73	85	97	109	121	134	146	158	170	182	194	206	218	230	242
160	52	65	78	91	104	117	129	142	155	168	181	194	207	220	233	246	259
170	55	69	83	96	110	124	138	151	165	179	193	206	220	234	248	262	276
180	58	73	87	102	117	131	146	160	175	189	204	218	233	248	262	277	291
190	61	77	92	108	123	138	154	169	184	200	215	231	246	261	277	292	307
200	65	81	97	113	129	146	162	178	194	210	227	243	259	275	291	307	323
210	68	85	102	119	136	153	170	187	204	221	238	255	272	289	306	323	340
220	71	89	107	125	142	160	178	196	214	231	249	267	285	303			
230	74	93	112	130	149	167	186	205	223	242	261	279	298				
240	78	97	117	136	155	175	194	214	233	252	272	291					
250	81	101	121	142	162	182	202	223	243	263	283	303					
260	84	105	126	147	168	189	210	231	252	273	295						
270	87	109	131	153	175	197	218	240	262	284	306						
280	91	113	136	159	181	204	227	249	272	295							
290	94	117	141	164	188	211	235	258	282	305							
300	97	121	146	170	194	218	243	267	291								
320	104	129	155	181	207	233	259	285									
340	110	138	165	193	220	248	275	303									
360	117	146	175	204	233	262	291										
380	123	154	184	215	246	277	307										
400	129	162	194	227	259	291											
425	138	172	206	241	275	309											
450	146	182	218	255	291												
475	154	192	231	269	307												
500	162	202	243	283													
525	170	212	255	297													
550	178	223	267														
575	186	233	279														
600	194	243	291														

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box		Low		RATE CHART KG. PER HA.												gb007 730	
Weight per litre		1.20		Figures in body of chart = mm of door opening													
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36		
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20															26		28
30									26	28	30	33	35	37	40		42
40							28	31	34	37	40	43	47	50	53		56
50							31	35	39	43	47	51	54	58	62	66	70
60				28	33	37	42	47	51	56	60	65	70	74	79		84
70			27	33	38	43	49	54	60	65	71	76	81	87	92		98
80			31	37	43	50	56	62	68	74	81	87	93	99	105		112
90	28	35	42	49	56	63	70	77	84	91	98	105	112	119		126	
100	31	39	47	54	62	70	78	85	93	101	109	116	124	132		140	
110	34	43	51	60	68	77	85	94	102	111	119	128	136	145		154	
120	37	47	56	65	74	84	93	102	112	121	130	140	149	158		167	
130	40	50	60	71	81	91	101	111	121	131	141	151	161	171		181	
140	43	54	65	76	87	98	109	119	130	141	152	163	174	185		195	
150	47	58	70	81	93	105	116	128	140	151	163	174	186	198		209	
160	50	62	74	87	99	112	124	136	149	161	174	186	198	211		223	
170	53	66	79	92	105	119	132	145	158	171	185	198	211	224		237	
180	56	70	84	98	112	126	140	154	167	181	195	209	223	237		251	
190	59	74	88	103	118	133	147	162	177	192	206	221	236	250		265	
200	62	78	93	109	124	140	155	171	186	202	217	233	248	264		279	
210	65	81	98	114	130	147	163	179	195	212	228	244	261	277		293	
220	68	85	102	119	136	154	171	188	205	222	239	256	273	290		307	
230	71	89	107	125	143	161	178	196	214	232	250	268	285	303			
240	74	93	112	130	149	167	186	205	223	242	261	279	298				
250	78	97	116	136	155	174	194	213	233	252	271	291					
260	81	101	121	141	161	181	202	222	242	262	282	302					
270	84	105	126	147	167	188	209	230	251	272	293						
280	87	109	130	152	174	195	217	239	261	282	304						
290	90	112	135	157	180	202	225	247	270	292							
300	93	116	140	163	186	209	233	256	279	302							
320	99	124	149	174	198	223	248	273	298								
340	105	132	158	185	211	237	264	290									
360	112	140	167	195	223	251	279	307									
380	118	147	177	206	236	265	295										
400	124	155	186	217	248	279											
425	132	165	198	231	264	297											
450	140	174	209	244	279												
475	147	184	221	258	295												
500	155	194	233	271													
525	163	204	244	285													
550	171	213	256	299													
575	178	223	268														
600	186	233	279														

Gear Box		Low		RATE CHART KG. PER HA.												gb007 730	
Weight per litre		1.30		Figures in body of chart = mm of door opening													
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36		
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20																26	
30															26	28	30
40														26	29	31	34
50														26	29	31	34
60														26	30	34	39
70														26	30	35	40
80														26	30	35	40
90														26	30	35	40
100														26	30	35	40
110														26	30	35	40
120														26	30	35	40
130														26	30	35	40
140														26	30	35	40
150														26	30	35	40
160														26	30	35	40
170														26	30	35	40
180														26	30	35	40
190														26	30	35	40
200														26	30	35	40
210														26	30	35	40
220														26	30	35	40
230														26	30	35	40
240														26	30	35	40
250														26	30	35	40
260														26	30	35	40
270														26	30	35	40
280														26	30	35	40
290														26	30	35	40
300														26	30	35	40
320														26	30	35	40
340														26	30	35	40
360														26	30	35	40
380														26	30	35	40
400														26	30	35	40
425														26	30	35	40
450														26	30	35	40
475														26	30	35	40
500														26	30	35	40
525														26	30	35	40
550														26	30	35	40
575														26	30	35	40
600														26	30	35	40

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box	Low	RATE CHART KG. PER HA.														gb007 730
		Figures in body of chart = mm of door opening														
Weight per litre		1.40														
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20																
30										26	28	30	32	34	36	
40							27	29	32	35	37	40	43	45	48	
50					27	30	33	37	40	43	47	50	53	56	60	
60				28	32	36	40	44	48	52	56	60	64	68	72	
70			28	33	37	42	47	51	56	60	65	70	74	79	84	
80		27	32	37	43	48	53	58	64	69	74	80	85	90	96	
90		30	36	42	48	54	60	66	72	78	84	90	96	102	108	
100	27	33	40	47	53	60	66	73	80	86	93	100	106	113	120	
110	29	37	44	51	58	66	73	80	88	95	102	110	117	124	132	
120	32	40	48	56	64	72	80	88	96	104	112	120	128	136	144	
130	35	43	52	60	69	78	86	95	104	112	121	130	138	147	156	
140	37	47	56	65	74	84	93	102	112	121	130	140	149	158	167	
150	40	50	60	70	80	90	100	110	120	130	140	150	160	169	179	
160	43	53	64	74	85	96	106	117	128	138	149	160	170	181	191	
170	45	56	68	79	90	102	113	124	136	147	158	169	181	192	203	
180	48	60	72	84	96	108	120	132	144	156	167	179	191	203	215	
190	51	63	76	88	101	114	126	139	152	164	177	189	202	215	227	
200	53	66	80	93	106	120	133	146	160	173	186	199	213	226	239	
210	56	70	84	98	112	126	140	154	167	181	195	209	223	237	251	
220	58	73	88	102	117	132	146	161	175	190	205	219	234	249	263	
230	61	76	92	107	122	138	153	168	183	199	214	229	245	260	275	
240	64	80	96	112	128	144	160	175	191	207	223	239	255	271	287	
250	66	83	100	116	133	150	166	183	199	216	233	249	266	282	299	
260	69	86	104	121	138	156	173	190	207	225	242	259	276	294		
270	72	90	108	126	144	162	179	197	215	233	251	269	287	305		
280	74	93	112	130	149	167	186	205	223	242	261	279	298			
290	77	96	116	135	154	173	193	212	231	251	270	289	308			
300	80	100	120	140	160	179	199	219	239	259	279	299				
320	85	106	128	149	170	191	213	234	255	276	298					
340	90	113	136	158	181	203	226	249	271	294						
360	96	120	144	167	191	215	239	263	287							
380	101	126	152	177	202	227	253	278	303							
400	106	133	160	186	213	239	266	292								
425	113	141	169	198	226	254	282									
450	120	150	179	209	239	269	299									
475	126	158	189	221	253	284										
500	133	166	199	233	266	299										
525	140	174	209	244	279											
550	146	183	219	256	292											
575	153	191	229	268	306											
600	160	199	239	279												

Gear Box	Low	RATE CHART KG. PER HA.														gb007 730												
		Figures in body of chart = mm of door opening																										
Weight per litre		1.50																										
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36													
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-													
20																												
30																												
40														26	28	30	32	33	33									
50														27	30	32	35	37	40	42	45							
60														28	31	34	37	40	43	47	50	53	56					
70														26	30	35	39	43	48	52	56	60	63	67				
80														30	35	40	45	50	55	60	65	69	74	79	84			
90														28	33	39	45	50	56	61	67	73	78	84	89	95	100	
100														27	31	37	43	50	56	62	68	74	81	87	93	99	105	112
110	27	34	41	48	55	61	68	75	82	89	96	102	110	117	124	132	140	148	156	164	172	180	188	196	204	212	220	228
120	30	37	45	52	60	67	74	82	89	97	104	112	119	127	134	142	150	158	166	174	182	190	198	206	214	222	230	238
130	32	40	48	56	65	73	81	89	97	105	113	121	129	137	145	153	161	169	177	185	193	201	209	217	225	233	241	249
140	35	43	52	61	69	78	87	96	104	113	122	130	139	148	156	165	174	183	191	200	209	218	227	235	244	253	261	270
150	37	47	56	65	74	84	93	102	112	121	130	140	149	158	167	176	185	194	203	212	221	230	239	248	257	266	275	284
160	40	50	60	69	79	89	99	109	119	129	139	149	159	169	179	189	199	209	219	229	239	249	259	269	279	289	299	309
170	42	53	63	74	84	95	105	116	127	137	148	158	169	179	190	201	211	221	231	241	251	261	271	281	291	301	311	321
180	45	56	67	78	89	100	112	123	134	145	156	167	179	190	201	212	223	234	245	256	267	278	289	300	311	322	333	344
190	47	59	71	83	94	106	118	130	141	153	165	177	189	200	212	224	236	248	260	272	284	296	308	320	332	344	356	368
200	50	62	74	87	99	112	124	136	149	161	174	186	198	211	223	236	249	262	275	288	301	314	327	340	353	366	379	392
210	52	65	78	91	104	117	130	143	156	169	182	195	208	221	234	247	260	273	286	299	312	325	338	351	364	377	390	403
220	55	68	82	96	109	123	136	150	164	177	191	205	218	232	245	259	272	285	298	311	324	337	350	363	376	389	402	415
230	57	71	86	100	114	128	143	157	171	185	200	214	228	243	257	271	285	299	313	327	341	355	369	383	397	411	425	439
240	60	74	89	104	119	134	149	164	179	194	208	223	238	253	268	282	297	311	325	340	354	369	383	397	411	425	439	453
250	62	78	93	109	124	140	155	171	186	202	217	233	248	264	279	294	309	324	339	354	369	384	399	414	429	444	459	474
260	65	81	97	113	129	145	161	177	194	210	226	242	258	274	290	306	322	338	354	370	386	402	418	434	450	466	482	498
270	67	84	100	117	134	151	167	184	201	218	234	251	268	285	301	318	335	352	369	386	403	420	437	454	471	488	505	522
280	69	87	104	122	139	156	174	191	208	226	243	261	278	295	312	330	348	366	384	402	420	438	456	474	492	510	528	546
290	72	90	108	126	144	162	180	198	216	234	252	270	288	306	324	342	360	378	396	414	432	450	468	486	504	522	540	558
300	74	93	112	130	149	167	186	205	224	243	262	281	300	319	338	357	376	395	414	433	452	471	490	509	528	547	566	585
320	79	99	119	139	159	179	199	218	238	258	278	298	318	338	358	378	398	418	438	458	478	498	518	538	558	578	598	618
340	84	105	127	148	169	190	211	232	253	274	295	316	337	358	379	399	420	441	462	483	504	525	546	567	588	609	630	651
360	89	112	134	156	179	201	223	246	268	290	312	334	356	378	400	422	444	466	488	510	532	554	576	598	620	642	664	686
380	94	118	141	165	189	212	236	259	283	306	329	352	375	398	421	444	467	490	513	536	559	582	605	628	6			

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Med. Gear		RATE CHART KG. PER H													
Weight per litre		0.70 Figures in body of chart = mm or door opening													
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Rate															
100			29	34	38	43	48	53	58	62	67	72	77	82	86
110		26	32	37	42	48	53	58	63	69	74	79	84	90	95
120		29	35	40	46	52	58	63	69	75	81	86	92	98	104
130		31	37	44	50	56	62	69	75	81	87	94	100	106	112
140	27	34	40	47	54	60	67	74	81	87	94	101	108	114	121
150	29	36	43	50	58	65	72	79	86	94	101	108	115	122	130
160	31	38	46	54	61	69	77	84	92	100	108	115	123	131	138
170	33	41	49	57	65	73	82	90	98	106	114	122	131	139	147
180	35	43	52	60	69	78	86	95	104	112	121	130	138	147	156
190	36	46	55	64	73	82	91	100	109	119	128	137	146	155	164
200	38	48	58	67	77	86	96	106	115	125	134	144	154	163	173
210	40	50	60	71	81	91	101	111	121	131	141	151	161	171	181
220	42	53	63	74	84	95	106	116	127	137	148	158	169	180	190
230	44	55	66	77	88	99	110	121	132	144	155	166	177	188	199
240	46	58	69	81	92	104	115	127	138	150	161	173	184	196	207
250	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216
260	50	62	75	87	100	112	125	137	150	162	175	187	200	212	225
270	52	65	78	91	104	117	130	143	156	168	181	194	207	220	233
280	54	67	81	94	108	121	134	148	161	175	188	202	215	228	242
290	56	70	84	97	111	125	139	153	167	181	195	209	223	237	251
300	58	72	86	101	115	130	144	158	173	187	202	216	230	245	259
320	61	77	92	108	123	138	154	169	184	200	215	230	246	261	276
340	65	82	98	114	131	147	163	180	196	212	228	245	261	277	294
360	69	86	104	121	138	156	173	190	207	225	242	259	276	294	
380	73	91	109	128	146	164	182	201	219	237	255	274	292		
400	77	96	115	134	154	173	192	211	230	250	269	288	307		
425	82	102	122	143	163	184	204	224	245	265	286	306			
450	86	108	130	151	173	194	216	238	259	281	302				
475	91	114	137	160	182	205	228	251	274	296					
500	96	120	144	168	192	216	240	264	288						
525	101	126	151	176	202	227	252	277	302						
550	106	132	158	185	211	238	264	290							
575	110	138	166	193	221	248	276	304							
600	115	144	173	202	230	259	288								
650	125	156	187	218	250	281									
700	134	168	202	235	269	302									
750	144	180	216	252	288										
800	154	192	230	269	307										
850	163	204	245	286											
900	173	216	259	302											
950	182	228	274												
1000	192	240	288												

Gear Box...Med. Gear		RATE CHART KG. PER H													
Weight per litre		0.75 Figures in body of chart = mm or door opening													
Width	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Rate															
100			27	31	36	40	45	49	54	58	63	67	72	76	81
110			30	34	39	44	49	54	59	64	69	74	79	84	89
120		27	32	38	43	48	54	59	65	70	75	81	86	91	97
130		29	35	41	47	52	58	64	70	76	82	87	93	99	105
140	25	31	38	44	50	56	63	69	75	82	88	94	100	107	113
150	27	34	40	47	54	60	67	74	81	87	94	101	108	114	121
160	29	36	43	50	57	65	72	79	86	93	100	108	115	122	129
170	30	38	46	53	61	69	76	84	91	99	107	114	122	129	137
180	32	40	48	56	65	73	81	89	97	105	113	121	129	137	145
190	34	43	51	60	68	77	85	94	102	111	119	128	136	145	153
200	36	45	54	63	72	81	90	99	108	116	125	134	143	152	161
210	38	47	56	66	75	85	94	103	113	122	132	141	151	160	169
220	39	49	59	69	79	89	99	108	118	128	138	148	158	168	177
230	41	52	62	72	82	93	103	113	124	134	144	155	165	175	185
240	43	54	65	75	86	97	108	118	129	140	151	161	172	183	194
250	45	56	67	78	90	101	112	123	134	146	157	168	179	190	202
260	47	58	70	82	93	105	116	128	140	151	163	175	186	198	210
270	48	60	73	85	97	109	121	133	145	157	169	181	194	206	218
280	50	63	75	88	100	113	125	138	151	163	176	188	201	213	226
290	52	65	78	91	104	117	130	143	156	169	182	195	208	221	234
300	54	67	81	94	108	121	134	148	161	175	188	202	215	228	242
320	57	72	86	100	115	129	143	158	172	186	201	215	229	244	258
340	61	76	91	107	122	137	152	168	183	198	213	228	244	259	274
360	65	81	97	113	129	145	161	177	194	210	226	242	258	274	290
380	68	85	102	119	136	153	170	187	204	221	238	255	272	289	306
400	72	90	108	125	143	161	179	197	215	233	251	269	287	305	
425	76	95	114	133	152	171	190	209	228	248	267	286	305		
450	81	101	121	141	161	181	202	222	242	262	282	302			
475	85	106	128	149	170	192	213	234	255	277	298				
500	90	112	134	157	179	202	224	246	269	291					
525	94	118	141	165	188	212	235	259	282	306					
550	99	123	148	172	197	222	246	271	296						
575	103	129	155	180	206	232	258	283	309						
600	108	134	161	188	215	242	269	296							
650	116	146	175	204	233	262	291								
700	125	157	188	220	251	282									
750	134	168	202	235	269	302									
800	143	179	215	251	287										
850	152	190	228	267	305										
900	161	202	242	282											
950	170	213	255	298											
1000	179	224	269												

For Use with [TRANSPREAD](#) Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...Med. Gear		RATE CHART KG. PER H														gb007, 730		
Weight per litre		0.80														Figures in body of chart = mm of door opening		
Width		8	10	12	14	16	18	20	22	24	26	28	30	32	34	36		
Rate																		
100				25	29	34	38	42	46	50	55	59	63	67	71	76		
110				28	32	37	42	46	51	55	60	65	69	74	79	83		
120			25	30	35	40	45	50	55	60	66	71	76	81	86	91		
130			27	33	38	44	49	55	60	66	71	76	82	87	93	98		
140			29	35	41	47	53	59	65	71	76	82	88	94	100	106		
150	25	31	38	44	50	57	63	69	76	82	88	94	101	107	113			
160	27	34	40	47	54	60	67	74	81	87	94	101	108	114	121			
170	29	36	43	50	57	64	71	79	86	93	100	107	114	121	129			
180	30	38	45	53	60	68	76	83	91	98	106	113	121	129	136			
190	32	40	48	56	64	72	80	88	96	104	112	120	128	136	144			
200	34	42	50	59	67	76	84	92	101	109	118	126	134	143	151			
210	35	44	53	62	71	79	88	97	106	115	123	132	141	150	159			
220	37	46	55	65	74	83	92	102	111	120	129	139	148	157	166			
230	39	48	58	68	77	87	97	106	116	126	135	145	155	164	174			
240	40	50	60	71	81	91	101	111	121	131	141	151	161	171	181			
250	42	52	63	74	84	94	105	115	126	136	147	157	168	179	189			
260	44	55	66	76	87	98	109	120	131	142	153	164	175	186	197			
270	45	57	68	79	91	102	113	125	136	147	159	170	181	193	204			
280	47	59	71	82	94	106	118	129	141	153	165	176	188	200	212			
290	49	61	73	85	97	110	122	134	146	158	171	183	195	207	219			
300	50	63	76	88	101	113	126	139	151	164	176	189	202	214	227			
320	54	67	81	94	108	121	134	148	161	175	188	202	215	228	242			
340	57	71	86	100	114	129	143	157	171	186	200	214	228	243	257			
360	60	76	91	106	121	136	151	166	181	197	212	227	242	257	272			
380	64	80	96	112	128	144	160	176	192	207	223	239	255	271	287			
400	67	84	101	118	134	151	168	185	202	218	235	252	269	286	302			
425	71	89	107	125	143	161	178	196	214	232	250	268	286	303				
450	76	94	113	132	151	170	189	208	227	246	265	283	302					
475	80	100	120	140	160	180	199	219	239	259	279	299						
500	84	105	126	147	168	189	210	231	252	273	294							
525	88	110	132	154	176	198	220	243	265	287	309							
550	92	115	139	162	185	208	231	254	277	300								
575	97	121	145	169	193	217	241	266	290									
600	101	126	151	176	202	227	252	277	302									
650	109	136	164	191	218	246	273	300										
700	118	147	176	206	235	265	294											
750	126	157	189	221	252	283												
800	134	168	202	235	269	302												
850	143	178	214	250	286													
900	151	189	227	265	302													
950	160	199	239	279														
1000	168	210	252	294														

Gear Box...Med. Gear		RATE CHART KG. PER H														gb007, 730		
Weight per litre		0.85														Figures in body of chart = mm of door opening		
Width		8	10	12	14	16	18	20	22	24	26	28	30	32	34	36		
Rate																		
100					28	32	36	40	43	47	51	55	59	63	67	71		
110				26	30	35	39	43	48	52	57	61	65	70	74	78		
120			25	30	35	40	45	50	55	60	66	71	76	81	85			
130			27	33	38	44	49	55	61	67	72	77	82	87	92			
140			29	35	41	47	53	59	65	71	77	83	89	94	100			
150	25	31	38	44	50	57	63	69	76	82	88	94	101	107	113			
160	27	34	40	47	54	60	67	74	81	87	94	101	108	114	121			
170	29	36	43	50	57	64	71	79	86	93	100	107	114	121	129			
180	30	38	45	53	60	68	76	83	91	98	106	113	121	129	136			
190	32	40	48	56	64	72	80	88	96	104	112	120	128	136	144			
200	34	42	50	59	67	76	84	92	101	109	118	126	134	143	151			
210	35	44	53	62	71	79	88	97	106	115	123	132	141	150	159			
220	37	46	55	65	74	83	92	102	111	120	129	139	148	157	166			
230	39	48	58	68	77	87	97	106	116	126	135	145	155	164	174			
240	40	50	60	71	81	91	101	111	121	131	141	151	161	171	181			
250	42	52	63	74	84	94	105	115	126	136	147	157	168	179	189			
260	44	55	66	76	87	98	109	120	131	142	153	164	175	186	197			
270	45	57	68	79	91	102	113	125	136	147	159	170	181	193	204			
280	47	59	71	82	94	106	118	129	141	153	165	176	188	200	212			
290	49	61	73	85	97	110	122	134	146	158	171	183	195	207	219			
300	50	63	76	88	101	113	126	139	151	164	176	189	202	214	227			
320	54	67	81	94	108	121	134	148	161	175	188	202	215	228	242			
340	57	71	86	100	114	129	143	157	171	186	200	214	228	243	257			
360	60	76	91	106	121	136	151	166	181	197	212	227	242	257	272			
380	64	80	96	112	128	144	160	176	192	207	223	239	255	271	287			
400	67	84	101	118	134	151	168	185	202	218	235	252	269	286	302			
425	71	89	107	125	143	161	178	196	214	232	250	268	286	303				
450	76	94	113	132	151	170	189	208	227	246	265	283	302					
475	80	100	120	140	160	180	199	219	239	259	279	299						
500	84	105	126	147	168	189	210	231	252	273	294							
525	88	110	132	154	176	198	220	243	265	287	309							
550	92	115	139	162	185	208	231	254	277	300								
575	97	121	145	169	193	217	241	266	290									
600	101	126	151	176	202	227	252	277	302									
650	109	136	164	191	218	246	273	300										
700	118	147	176	206	235	265	294											
750	126	157	189	221	252	283												
800	134	168	202	235	269	302												
850	143	178	214	250	286													
900	151	189	227	265	302													
950	160	199	239	279														
1000	168	210	252	294														

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High. Gear		RATE CHART KG. PER HA. gb007, 73 gb007, 730														
Weight per litre		Figures in body of chart = mm of door opening														
0.70		8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Rate	Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
600	36	45	54	64	73	82	91	100	109	118	127	136	145	154	163	
625	38	47	57	66	76	85	95	104	113	123	132	142	151	161	170	
650	39	49	59	69	79	88	98	108	118	128	138	147	157	167	177	
675	41	51	61	71	82	92	102	112	123	133	143	153	163	174	184	
700	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191	
750	45	57	68	79	91	102	113	125	136	147	159	170	182	193	204	
800	48	61	73	85	97	109	121	133	145	157	169	182	194	206	218	
850	51	64	77	90	103	116	129	141	154	167	180	193	206	219	231	
900	54	68	82	95	109	123	136	150	163	177	191	204	218	231	245	
950	57	72	86	101	115	129	144	158	172	187	201	216	230	244	259	
1000	61	76	91	106	121	136	151	166	182	197	212	227	242	257	272	
1050	64	79	95	111	127	143	159	175	191	206	222	238	254	270	286	
1100	67	83	100	116	133	150	166	183	200	216	233	250	266	283	299	
1150	70	87	104	122	139	157	174	191	209	226	244	261	278	296		
1200	73	91	109	127	145	163	182	200	218	236	254	272	290	309		
1250	76	95	113	132	151	170	189	208	227	246	265	284	303			
1300	79	98	118	138	157	177	197	216	236	256	275	295				
1350	82	102	123	143	163	184	204	225	245	265	286	306				
1400	85	106	127	148	169	191	212	233	254	275	296					
1450	88	110	132	154	175	197	219	241	263	285	307					
1500	91	113	136	159	182	204	227	250	272	295						
1550	94	117	141	164	188	211	234	258	281	305						
1600	97	121	145	169	194	218	242	266	290							
1650	100	125	150	175	200	225	250	275	299							
1700	103	129	154	180	206	231	257	283	309							
1800	109	136	163	191	218	245	272	299								
1900	115	144	172	201	230	259	287									
2000	121	151	182	212	242	272	303									
2500	151	189	227	265	303											
3000	182	227	272													
3500	212	265														
4000	242	303														
5000	303															
6000																
7000																
8000																
9000																
10000																

Gear Box...High. Gear		RATE CHART KG. PER HA. gb007, 730														
Weight per litre		Figures in body of chart = mm of door opening														
0.75		8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Rate	Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
600	34	42	51	59	68	76	85	93	102	110	119	127	136	144	152	
625	35	44	53	62	71	79	88	97	106	115	124	132	141	150	159	
650	37	46	55	64	73	83	92	101	110	119	128	138	147	156	165	
675	38	48	57	67	76	86	95	105	114	124	133	143	152	162	172	
700	40	49	59	69	79	89	99	109	119	128	138	148	158	168	178	
750	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191	
800	45	56	68	79	90	102	113	124	136	147	158	169	181	192	203	
850	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	
900	51	64	76	89	102	114	127	140	152	165	178	191	203	216	229	
950	54	67	80	94	107	121	134	148	161	174	188	201	215	228	241	
1000	56	71	85	99	113	127	141	155	169	184	198	212	226	240	254	
1050	59	74	89	104	119	133	148	163	178	193	208	222	237	252	267	
1100	62	78	93	109	124	140	155	171	186	202	217	233	248	264	280	
1150	65	81	97	114	130	146	162	179	195	211	227	244	260	276	292	
1200	68	85	102	119	136	152	169	186	203	220	237	254	271	288	305	
1250	71	88	106	124	141	159	176	194	212	229	247	265	282	300		
1300	73	92	110	128	147	165	184	202	220	239	257	275	294			
1350	76	95	114	133	152	172	191	210	229	248	267	286	305			
1400	79	99	119	138	158	178	198	217	237	257	277	296				
1450	82	102	123	143	164	184	205	225	246	266	287	307				
1500	85	106	127	148	169	191	212	233	254	275	296					
1550	88	109	131	153	175	197	219	241	263	284	306					
1600	90	113	136	158	181	203	226	248	271	294						
1650	93	116	140	163	186	210	233	256	280	303						
1700	96	120	144	168	192	216	240	264	288							
1800	102	127	152	178	203	229	254	280	305							
1900	107	134	161	188	215	241	268	295								
2000	113	141	169	198	226	254	282									
2500	141	176	212	247	282											
3000	169	212	254	296												
3500	198	247	296													
4000	226	282														
5000	282															
6000																
7000																
8000																
9000																
10000																

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High. Gear		RATE CHART KG. PER HA.													gb007, 730																
Weight per litre		0.80													Figures in body of chart = mm of door opening																
Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
600	32	40	48	56	64	71	79	87	95	103	111	119	127	135	143	600	30	37	45	52	60	67	75	82	90	97	105	112	120	127	135
625	33	41	50	58	66	74	83	91	99	108	116	124	132	141	149	625	31	39	47	54	62	70	78	86	93	101	109	117	125	132	140
650	34	43	52	60	69	77	86	95	103	112	120	129	138	146	155	650	32	40	49	57	65	73	81	89	97	105	113	121	130	138	146
675	36	45	54	63	71	80	89	98	107	116	125	134	143	152	161	675	34	42	50	59	67	76	84	92	101	109	118	126	135	143	151
700	37	46	56	65	74	83	93	102	111	120	130	139	148	157	167	700	35	44	52	61	70	78	87	96	105	113	122	131	140	148	157
750	40	50	60	69	79	89	99	109	119	129	139	149	159	169	179	750	37	47	56	65	75	84	93	103	112	121	131	140	149	159	168
800	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191	800	40	50	60	70	80	90	100	110	120	130	140	149	159	169	179
850	45	56	67	79	90	101	112	124	135	146	157	169	180	191	202	850	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191
900	48	60	71	83	95	107	119	131	143	155	167	179	191	202	214	900	45	56	67	78	90	101	112	123	135	146	157	168	179	191	202
950	50	63	75	88	101	113	126	138	151	163	176	189	201	214	226	950	47	59	71	83	95	106	118	130	142	154	166	177	189	201	213
1000	53	66	79	93	106	119	132	146	159	172	185	199	212	225	238	1000	50	62	75	87	100	112	125	137	149	162	174	187	199	212	224
1050	56	69	83	97	111	125	139	153	167	181	195	208	222	236	250	1050	52	65	78	92	105	118	131	144	157	170	183	196	209	222	235
1100	58	73	87	102	116	131	146	160	175	189	204	218	233	247	262	1100	55	69	82	96	110	123	137	151	164	178	192	206	219	233	247
1150	61	76	91	107	122	137	152	167	183	198	213	228	244	259	274	1150	57	72	86	100	115	129	143	158	172	186	201	215	229	244	258
1200	64	79	95	111	127	143	159	175	191	206	222	238	254	270	286	1200	60	75	90	105	120	135	149	164	179	194	209	224	239	254	269
1250	66	83	99	116	132	149	165	182	199	215	232	248	265	281	298	1250	62	78	93	109	125	140	156	171	187	202	218	234	249	265	280
1300	69	86	103	120	138	155	172	189	206	224	241	258	275	292	310	1300	65	81	97	113	130	146	162	178	194	211	227	243	259	275	291
1350	71	89	107	125	143	161	179	197	214	232	250	268	286	304		1350	67	84	101	118	135	151	168	185	202	219	235	252	269	286	303
1400	74	93	111	130	148	167	185	204	222	241	259	278	296			1400	70	87	105	122	140	157	174	192	209	227	244	262	279	296	
1450	77	96	115	134	154	173	192	211	230	249	269	288	307			1450	72	90	108	126	144	163	181	199	217	235	253	271	289	307	
1500	79	99	119	139	159	179	199	218	238	258	278	298				1500	75	93	112	131	149	168	187	206	224	243	262	280	299		
1550	82	103	123	144	164	185	205	226	246	267	287	308				1550	77	97	116	135	154	174	193	212	232	251	270	290	309		
1600	85	106	127	148	169	191	212	233	254	275	296					1600	80	100	120	140	159	179	199	219	239	259	279	299			
1650	87	109	131	153	175	197	218	240	262	284	306					1650	82	103	123	144	164	185	206	226	247	267	288	308			
1700	90	112	135	157	180	202	225	247	270	292						1700	85	106	127	148	169	191	212	233	254	275	296				
1800	95	119	143	167	191	214	238	262	286	310						1800	90	112	135	157	179	202	224	247	269	291					
1900	101	126	151	176	201	226	251	277	302							1900	95	118	142	166	189	213	237	260	284	308					
2000	106	132	159	185	212	238	265	291								2000	100	125	149	174	199	224	249	274	299						
2500	132	165	199	232	265	298										2500	125	156	187	218	249	280									
3000	159	199	238	278												3000	149	187	224	262	299										
3500	185	232	278													3500	174	218	262	305											
4000	212	265														4000	199	249	299												
5000	265															5000	249														
6000																6000	299														
7000																7000															
8000																8000															
9000																9000															
10000																10000															

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High. Gear		RATE CHART KG. PER HA.													gb007, 730																
Weight per litre		0.90													Figures in body of chart = mm of door opening																
Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
600	28	35	42	49	56	64	71	78	85	92	99	106	113	120	127	27	33	40	47	53	60	67	74	80	87	94	100	107	114	120	
625	29	37	44	51	59	66	74	81	88	96	103	110	118	125	132	28	35	42	49	56	63	70	77	84	91	98	104	111	118	125	
650	31	38	46	54	61	69	76	84	92	99	107	115	122	130	138	29	36	43	51	58	65	72	80	87	94	101	109	116	123	130	
675	32	40	48	56	64	71	79	87	95	103	111	119	127	135	143	30	38	45	53	60	68	75	83	90	98	105	113	120	128	135	
700	33	41	49	58	66	74	82	91	99	107	115	124	132	140	148	31	39	47	55	62	70	78	86	94	101	109	117	125	133	140	
750	35	44	53	62	71	79	88	97	106	115	124	132	141	150	159	33	42	50	59	67	75	84	92	100	109	117	125	134	142	150	
800	38	47	56	66	75	85	94	104	113	122	132	141	151	160	169	36	45	53	62	71	80	89	98	107	116	125	134	143	152	160	
850	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	38	47	57	66	76	85	95	104	114	123	133	142	152	161	171	
900	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191	40	50	60	70	80	90	100	110	120	130	140	150	160	171	181	
950	45	56	67	78	89	101	112	123	134	145	156	168	179	190	201	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191	
1000	47	59	71	82	94	106	118	129	141	153	165	176	188	200	212	45	56	67	78	89	100	111	123	134	145	156	167	178	189	201	
1050	49	62	74	86	99	111	124	136	148	161	173	185	198	210	222	47	59	70	82	94	105	117	129	140	152	164	176	187	199	211	
1100	52	65	78	91	104	116	129	142	155	168	181	194	207	220	233	49	61	74	86	98	110	123	135	147	159	172	184	196	208	221	
1150	54	68	81	95	108	122	135	149	162	176	189	203	216	230	244	51	64	77	90	103	115	128	141	154	167	179	192	205	218	231	
1200	56	71	85	99	113	127	141	155	169	184	198	212	226	240	254	53	67	80	94	107	120	134	147	160	174	187	201	214	227	241	
1250	59	74	88	103	118	132	147	162	176	191	206	221	235	250	265	56	70	84	98	111	125	139	153	167	181	195	209	223	237	251	
1300	61	76	92	107	122	138	153	168	184	199	214	229	245	260	275	58	72	87	101	116	130	145	159	174	188	203	217	232	246	261	
1350	64	79	95	111	127	143	159	175	191	206	222	238	254	270	286	60	75	90	105	120	135	150	165	181	196	211	226	241	256	271	
1400	66	82	99	115	132	148	165	181	198	214	231	247	264	280	296	62	78	94	109	125	140	156	172	187	203	218	234	250	265	281	
1450	68	85	102	119	136	154	171	188	205	222	239	256	273	290	307	65	81	97	113	129	145	162	178	194	210	226	242	259	275	291	
1500	71	88	106	124	141	159	176	194	212	229	247	265	282	300		67	84	100	117	134	150	167	184	201	217	234	251	267	284	301	
1550	73	91	109	128	146	164	182	201	219	237	255	274	292	310		69	86	104	121	138	155	173	190	207	225	242	259	276	294		
1600	75	94	113	132	151	169	188	207	226	245	264	282	301			71	89	107	125	143	160	178	196	214	232	250	267	285	303		
1650	78	97	116	136	155	175	194	214	233	252	272	291				74	92	110	129	147	165	184	202	221	239	257	276	294			
1700	80	100	120	140	160	180	200	220	240	260	280	300				76	95	114	133	152	171	189	208	227	246	265	284	303			
1800	85	106	127	148	169	191	212	233	254	275	296					80	100	120	140	160	181	201	221	241	261	281	301				
1900	89	112	134	156	179	201	224	246	268	291						85	106	127	148	169	191	212	233	254	275	296					
2000	94	118	141	165	188	212	235	259	282	306						89	111	134	156	178	201	223	245	267	290						
2500	118	147	176	206	235	265	294									111	139	167	195	223	251	279	306								
3000	141	176	212	247	282											134	167	201	234	267	301										
3500	165	206	247	288												156	195	234	273												
4000	188	235	282													178	223	267													
5000	235	294														223	279														
6000	282															267															
7000																															
8000																															
9000																															
10000																															

For Use with [TRANSPREAD](#) Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High. Gear		RATE CHART KG. PER HA.													gb007, 730																	
Weight per litre		1.00													Figures in body of chart = mm of door opening																	
Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
600	25	32	38	44	51	57	64	70	76	83	89	95	102	108	114	600		30	36	42	48	54	61	67	73	79	85	91	97	103	109	
625	26	33	40	46	53	60	66	73	79	86	93	99	106	112	119	625	25	32	38	44	50	57	63	69	76	82	88	95	101	107	113	
650	28	34	41	48	55	62	69	76	83	89	96	103	110	117	124	650	26	33	39	46	52	59	66	72	79	85	92	98	105	111	118	
675	29	36	43	50	57	64	71	79	86	93	100	107	114	121	129	675	27	34	41	48	54	61	68	75	82	88	95	102	109	116	123	
700	30	37	44	52	59	67	74	82	89	96	104	111	119	126	133	700	28	35	42	49	56	64	71	78	85	92	99	106	113	120	127	
750	32	40	48	56	64	71	79	87	95	103	111	119	127	135	143	750	30	38	45	53	61	68	76	83	91	98	106	113	121	129	136	
800	34	42	51	59	68	76	85	93	102	110	119	127	136	144	152	800	32	40	48	56	65	73	81	89	97	105	113	121	129	137	145	
850	36	45	54	63	72	81	90	99	108	117	126	135	144	153	162	850	34	43	51	60	69	77	86	94	103	111	120	129	137	146	154	
900	38	48	57	67	76	86	95	105	114	124	133	143	152	162	172	900	36	45	54	64	73	82	91	100	109	118	127	136	145	154	163	
950	40	50	60	70	80	91	101	111	121	131	141	151	161	171	181	950	38	48	57	67	77	86	96	105	115	125	134	144	153	163	172	
1000	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191	1000	40	50	61	71	81	91	101	111	121	131	141	151	161	171	182	
1050	44	56	67	78	89	100	111	122	133	145	156	167	178	189	200	1050	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191	
1100	47	58	70	82	93	105	116	128	140	151	163	175	186	198	210	1100	44	55	67	78	89	100	111	122	133	144	155	166	177	189	200	
1150	49	61	73	85	97	110	122	134	146	158	170	183	195	207	219	1150	46	58	70	81	93	104	116	128	139	151	162	174	186	197	209	
1200	51	64	76	89	102	114	127	140	152	165	178	191	203	216	229	1200	48	61	73	85	97	109	121	133	145	157	169	182	194	206	218	
1250	53	66	79	93	106	119	132	146	159	172	185	199	212	225	238	1250	50	63	76	88	101	113	126	139	151	164	176	189	202	214	227	
1300	55	69	83	96	110	124	138	151	165	179	193	206	220	234	248	1300	52	66	79	92	105	118	131	144	157	170	184	197	210	223	236	
1350	57	71	86	100	114	129	143	157	172	186	200	214	229	243	257	1350	54	68	82	95	109	123	136	150	163	177	191	204	218	231	245	
1400	59	74	89	104	119	133	148	163	178	193	208	222	237	252	267	1400	56	71	85	99	113	127	141	155	169	184	198	212	226	240	254	
1450	61	77	92	107	123	138	154	169	184	200	215	230	246	261	276	1450	58	73	88	102	117	132	146	161	175	190	205	219	234	249	263	
1500	64	79	95	111	127	143	159	175	191	206	222	238	254	270	286	1500	61	76	91	106	121	136	151	166	182	197	212	227	242	257	272	
1550	66	82	98	115	131	148	164	181	197	213	230	246	263	279	295	1550	63	78	94	109	125	141	156	172	188	203	219	234	250	266	281	
1600	68	85	102	119	136	152	169	186	203	220	237	254	271	288	305	1600	65	81	97	113	129	145	161	177	194	210	226	242	258	274	290	
1650	70	87	105	122	140	157	175	192	210	227	245	262	280	297		1650	67	83	100	116	133	150	166	183	200	216	233	250	266	283	299	
1700	72	90	108	126	144	162	180	198	216	234	252	270	288	306		1700	69	86	103	120	137	154	171	189	206	223	240	257	274	291	309	
1800	76	95	114	133	152	172	191	210	229	248	267	286	305			1800	73	91	109	127	145	163	182	200	218	236	254	272	290	309		
1900	80	101	121	141	161	181	201	221	241	262	282	302				1900	77	96	115	134	153	172	192	211	230	249	268	287	307			
2000	85	106	127	148	169	191	212	233	254	275	296					2000	81	101	121	141	161	182	202	222	242	262	282	303				
2500	106	132	159	185	212	238	265	291								2500	101	126	151	176	202	227	252	277	303							
3000	127	159	191	222	254	286										3000	121	151	182	212	242	272	303									
3500	148	185	222	259	296											3500	141	176	212	247	282											
4000	169	212	254	296												4000	161	202	242	282												
5000	212	265														5000	202	252	303													
6000	254															6000	242	303														
7000	296															7000	282															
8000																8000																
9000																9000																
10000																10000																

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High. Gear		RATE CHART KG. PER HA.													gb007, 730																
Weight per litre		1.20													Figures in body of chart = mm of door opening																
Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
600		26	32	37	42	48	53	58	64	69	74	79	85	90	95	600			29	34	39	44	49	54	59	64	68	73	78	83	88
625		28	33	39	44	50	55	61	66	72	77	83	88	94	99	625	25	31	36	41	46	51	56	61	66	71	76	81	87	92	
650		29	34	40	46	52	57	63	69	75	80	86	92	97	103	650	26	32	37	42	48	53	58	64	69	74	79	85	90	95	
675		30	36	42	48	54	60	66	71	77	83	89	95	101	107	675	27	33	38	44	49	55	60	66	71	77	82	88	93	99	
700		31	37	43	49	56	62	68	74	80	86	93	99	105	111	700	29	34	40	46	51	57	63	68	74	80	86	91	97	103	
750	26	33	40	46	53	60	66	73	79	86	93	99	106	112	119	750	31	37	43	49	55	61	67	73	79	86	92	98	104	110	
800	28	35	42	49	56	64	71	78	85	92	99	106	113	120	127	800	26	33	39	46	52	59	65	72	78	85	91	98	104	111	117
850	30	37	45	52	60	67	75	82	90	97	105	112	120	127	135	850	28	35	42	48	55	62	69	76	83	90	97	104	111	118	125
900	32	40	48	56	64	71	79	87	95	103	111	119	127	135	143	900	29	37	44	51	59	66	73	81	88	95	103	110	117	125	132
950	34	42	50	59	67	75	84	92	101	109	117	126	134	142	151	950	31	39	46	54	62	70	77	85	93	101	108	116	124	132	139
1000	35	44	53	62	71	79	88	97	106	115	124	132	141	150	159	1000	33	41	49	57	65	73	81	90	98	106	114	122	130	138	147
1050	37	46	56	65	74	83	93	102	111	120	130	139	148	157	167	1050	34	43	51	60	68	77	86	94	103	111	120	128	137	145	154
1100	39	49	58	68	78	87	97	107	116	126	136	146	155	165	175	1100	36	45	54	63	72	81	90	99	108	116	125	134	143	152	161
1150	41	51	61	71	81	91	101	112	122	132	142	152	162	172	183	1150	37	47	56	66	75	84	94	103	112	122	131	140	150	159	169
1200	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191	1200	39	49	59	68	78	88	98	108	117	127	137	147	156	166	176
1250	44	55	66	77	88	99	110	121	132	143	154	165	176	187	199	1250	41	51	61	71	81	92	102	112	122	132	143	153	163	173	183
1300	46	57	69	80	92	103	115	126	138	149	161	172	184	195	206	1300	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191
1350	48	60	71	83	95	107	119	131	143	155	167	179	191	202	214	1350	44	55	66	77	88	99	110	121	132	143	154	165	176	187	198
1400	49	62	74	86	99	111	124	136	148	161	173	185	198	210	222	1400	46	57	68	80	91	103	114	125	137	148	160	171	182	194	205
1450	51	64	77	90	102	115	128	141	154	166	179	192	205	217	230	1450	47	59	71	83	94	106	118	130	142	154	165	177	189	201	213
1500	53	66	79	93	106	119	132	146	159	172	185	199	212	225	238	1500	49	61	73	86	98	110	122	134	147	159	171	183	195	208	220
1550	55	68	82	96	109	123	137	150	164	178	191	205	219	232	246	1550	50	63	76	88	101	114	126	139	151	164	177	189	202	215	227
1600	56	71	85	99	113	127	141	155	169	184	198	212	226	240	254	1600	52	65	78	91	104	117	130	143	156	169	182	195	208	222	235
1650	58	73	87	102	116	131	146	160	175	189	204	218	233	247	262	1650	54	67	81	94	108	121	134	148	161	175	188	202	215	228	242
1700	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270	1700	55	69	83	97	111	125	138	152	166	180	194	208	222	235	249
1800	64	79	95	111	127	143	159	175	191	206	222	238	254	270	286	1800	59	73	88	103	117	132	147	161	176	191	205	220	235	249	264
1900	67	84	101	117	134	151	168	184	201	218	235	251	268	285	302	1900	62	77	93	108	124	139	155	170	186	201	217	232	248	263	279
2000	71	88	106	124	141	159	176	194	212	229	247	265	282	300		2000	65	81	98	114	130	147	163	179	195	212	228	244	261	277	293
2500	88	110	132	154	176	199	221	243	265	287	309					2500	81	102	122	143	163	183	204	224	244	265	285	305			
3000	106	132	159	185	212	238	265	291								3000	98	122	147	171	195	220	244	269	293						
3500	124	154	185	216	247	278	309									3500	114	143	171	200	228	257	285								
4000	141	176	212	247	282											4000	130	163	195	228	261	293									
5000	176	221	265	309												5000	163	204	244	285											
6000	212	265														6000	195	244	293												
7000	247	309														7000	228	285													
8000	282															8000	261														
9000																9000	293														
10000																10000															

For Use with **TRANSPREAD** Density Meter, Transpread Gear Box, gb007, Standard Jockey..730.. Accuracy of final settings operators responsibility on use
 Other rates and rate calculator can be viewed at <http://www.transpread.com/Trailers/Homepage.htm>, also available in XL format for your own computer.

Gear Box...High. Gear		RATE CHART KG. PER HA.													gb007, 730																
Weight per litre		1.40													Figures in body of chart = mm of door opening																
Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	Width.	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600			27	32	36	41	45	50	54	59	64	68	73	77	82	600			25	30	34	38	42	47	51	55	59	64	68	72	76
625			28	33	38	43	47	52	57	61	66	71	76	80	85	625			26	31	35	40	44	49	53	57	62	66	71	75	79
650			29	34	39	44	49	54	59	64	69	74	79	84	88	650			28	32	37	41	46	50	55	60	64	69	73	78	83
675		26	31	36	41	46	51	56	61	66	71	77	82	87	92	675			29	33	38	43	48	52	57	62	67	71	76	81	86
700		26	32	37	42	48	53	58	64	69	74	79	85	90	95	700			30	35	40	44	49	54	59	64	69	74	79	84	89
750		28	34	40	45	51	57	62	68	74	79	85	91	96	102	750		26	32	37	42	48	53	58	64	69	74	79	85	90	95
800		30	36	42	48	54	61	67	73	79	85	91	97	103	109	800		28	34	40	45	51	56	62	68	73	79	85	90	96	102
850	26	32	39	45	51	58	64	71	77	84	90	96	103	109	116	850		30	36	42	48	54	60	66	72	78	84	90	96	102	108
900	27	34	41	48	54	61	68	75	82	88	95	102	109	116	123	900	25	32	38	44	51	57	64	70	76	83	89	95	102	108	114
950	29	36	43	50	57	65	72	79	86	93	101	108	115	122	129	950	27	34	40	47	54	60	67	74	80	87	94	101	107	114	121
1000	30	38	45	53	61	68	76	83	91	98	106	113	121	129	136	1000	28	35	42	49	56	64	71	78	85	92	99	106	113	120	127
1050	32	40	48	56	64	71	79	87	95	103	111	119	127	135	143	1050	30	37	44	52	59	67	74	82	89	96	104	111	119	126	133
1100	33	42	50	58	67	75	83	92	100	108	116	125	133	141	150	1100	31	39	47	54	62	70	78	85	93	101	109	116	124	132	140
1150	35	43	52	61	70	78	87	96	104	113	122	130	139	148	157	1150	32	41	49	57	65	73	81	89	97	106	114	122	130	138	146
1200	36	45	54	64	73	82	91	100	109	118	127	136	145	154	163	1200	34	42	51	59	68	76	85	93	102	110	119	127	136	144	152
1250	38	47	57	66	76	85	95	104	113	123	132	142	151	161	170	1250	35	44	53	62	71	79	88	97	106	115	124	132	141	150	159
1300	39	49	59	69	79	88	98	108	118	128	138	147	157	167	177	1300	37	46	55	64	73	83	92	101	110	119	128	138	147	156	165
1350	41	51	61	71	82	92	102	112	123	133	143	153	163	174	184	1350	38	48	57	67	76	86	95	105	114	124	133	143	152	162	172
1400	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191	1400	40	49	59	69	79	89	99	109	119	128	138	148	158	168	178
1450	44	55	66	77	88	99	110	121	132	143	154	164	175	186	197	1450	41	51	61	72	82	92	102	113	123	133	143	154	164	174	184
1500	45	57	68	79	91	102	113	125	136	147	159	170	182	193	204	1500	42	53	64	74	85	95	106	116	127	138	148	159	169	180	191
1550	47	59	70	82	94	105	117	129	141	152	164	176	188	199	211	1550	44	55	66	77	88	98	109	120	131	142	153	164	175	186	197
1600	48	61	73	85	97	109	121	133	145	157	169	182	194	206	218	1600	45	56	68	79	90	102	113	124	136	147	158	169	181	192	203
1650	50	62	75	87	100	112	125	137	150	162	175	187	200	212	225	1650	47	58	70	82	93	105	116	128	140	151	163	175	186	198	210
1700	51	64	77	90	103	116	129	141	154	167	180	193	206	219	231	1700	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216
1800	54	68	82	95	109	123	136	150	163	177	191	204	218	231	245	1800	51	64	76	89	102	114	127	140	152	165	178	191	203	216	229
1900	57	72	86	101	115	129	144	158	172	187	201	216	230	244	259	1900	54	67	80	94	107	121	134	148	161	174	188	201	215	228	241
2000	61	76	91	106	121	136	151	166	182	197	212	227	242	257	272	2000	56	71	85	99	113	127	141	155	169	184	198	212	226	240	254
2500	76	95	113	132	151	170	189	208	227	246	265	284	303			2500	71	88	106	124	141	159	176	194	212	229	247	265	282	300	
3000	91	113	136	159	182	204	227	250	272	295						3000	85	106	127	148	169	191	212	233	254	275	296				
3500	106	132	159	185	212	238	265	291								3500	99	124	148	173	198	222	247	272	296						
4000	121	151	182	212	242	272	303									4000	113	141	169	198	226	254	282								
5000	151	189	227	265	303											5000	141	176	212	247	282										
6000	182	227	272													6000	169	212	254	296											
7000	212	265														7000	198	247	296												
8000	242	303														8000	226	282													
9000	272															9000	254														
10000	303															10000	282														